

Threat Hunting with Qualys Going Beyond Your EDR Solutions

Chris Carlson

VP Product Management, Qualys, Inc.

Adversary Threat Tactics are Changing

Early 2010s

Zero-day Vulnerabilities

(Nation State, Industrial Espionage, Black Market)

Today

Rapidly weaponizing newly-disclosed vulnerabilities (Good, Fast, Cheap – Pick 3)




Known Critical Vulnerabilities are Increasing

14-16K vulnerabilities are disclosed 2017-2019

30-40% are ranked as "High" or "Critical" severity

Worm-able Vulnerabilities are increasing (WannaCry, BlueKeep)

"Mean Time to Weaponize" is rapidly decreasing year/year





Time to Weaponize

	<u>Vuln Disclosure</u>	Exploit Date	<u>Time</u>	<u>First Exploit Type</u>
WannaCry	March 2017	May 2017*	2 months	Ransomware
BlueKeep	May 2019	Nov 2019	6 months	Cryptominer
Citrix ADC	Dec 2019	Jan 2020	1 month	Cryptominer
Crypto DLL Vulnerability	Jan 2019	???	???	???

Get Proactive - Reduce the Attack Surface

- AI V
 - VM
- Immediately discover assets and vulnerabilities
- РМ
- Patch and verify remediation / stop the instance

- РС
- SCA
- Change configuration to limit unauthorized access
- CSA
- Control network access / cloud security groups


- IOC
- Add Endpoint Detection and Response



Proactively Hunt, Detect, and Respond

Indication of Compromise

Detect malware, IOCs, IOAs, and verify threat intel



Security Analytics (Summer 2020)

Augment SIEMs by finding attacks using behavioral analytics and MITRE ATT&CK



Qualys IOC - Hunt Using Threat Intel

NotPetya Ransomware spreading using ETERNALBLUE Vulnerability and Credential Stealing October 6, 2017

On June 27, 2017, NCCIC [13] was notified of Petya malware events occurring in multiple countries and affecting multiple sectors. This variant of the Petya malware—referred to as NotPetya—encrypts files with extensions from a hard-coded list.

Additionally, if the malware gains administrator rights, it encrypts the master boot record (MBR), making the infected Windows computers unusable. NotPetya differs from previous Petya malware primarily in its propagation methods using the ETERNALBLUE vulnerability and credential stealing via a modified version of Mimikatz.

Technical Details

Anti-Virus Coverage

VirusTotal reports 0/66 anti-virus vendors have signatures for the credential stealer as of the date of this report

Files

Delivery – MD5: 71b6a493388e7d0b40c83ce903bc6b04 Installation – MD5: 7e37ab34ecdcc3e77e24522ddfd4852d


Credential Stealer (new) - MD5: d926e76030f19f1f7ef0b3cd1a4e80f9

Secondary Actions

NotPetya leverages multiple propagation methods to spread within an infected network. According to malware analysis, NotPetya attempts the lateral movement techniques below:

1 Threat intelligence lists attack information ...

2 Search for the file hash here...



3 Find the object there.




Detect Malware Missed by Anti-Virus

UK Government Contractor

- "Big 4" anti-virus installed
- Qualys Agent for Vulnerability Mgmt
- Added Qualys IOC on existing agents
- 256 hosts

Qualys IOC discovered...

- Dridex Banking Trojan (51)
- 4 domain controllers infected
- Backdoors (7) installed due to phishing campaigns
- Netcat (8) root kits installed
- 46 PUAs installed





Demo

a0c68e476f55d0b7cdd87b1b20a1e021672eec41f96e056d6289d8734491f9bb

Beyond Endpoint Detection and Response: How can I better protect my crown jewels?


Threat Hunting Assumptions:

- Every user machine can be compromised it only takes one click
- Every Remote Code Execution (RCE) vulnerability can be exploited
- Local Privilege Escalation and Credential Harvesting to move laterally
- System misconfigurations are often overlooked and easy to exploit
- Network segmentation is rarely used internally due to management

All attacks are not equal: can Adversaries reach my Critical Servers?



Adversary Lateral Movements (Attack Paths)





Attack Path Discovery (Summer 2020)

Network Reachability

Determine connections between hosts using Cloud Agent Passive + Active network collection

Store these connections in a Graph Database for fast query




Asset Security Posture

Remotely Exploitable Vulnerabilities VM TP


System Misconfigurations PC SCA

Malware, IoCs, and Indicators of Activity IOC











Attack Path Discovery for Proactive Threat Hunting and Response Priority

Indication of Compromise

DASHBOARD

INCIDENTS

HUNTING

ASSETS RULES









5ceec909f3dfc890fdd1e76d6f3cc093465c9d980d68b9987fc3f5eb289b6bd2

Active View



675K Total Events

TIME w

3 minutes ago 8:35:03 PM

3 minutes ago

3 minutes ago

8:35:03 PM

8:34:56 PM

8:34:56 PM

8:34:56 PM

8:34:49 PM

8:34:44 PM

3 minutes ago

3 minutes ago

3 minutes ago

3 minutes ago

1 - 50 of 675335

1 4 C C

DETAILS



TYPE

file

mutex

network

process

registry

created

listening

runnina

SCORE

10

established

EVENT ACTION

258K 9.84K

19.4K

3.99K 384K

642K

4.65K

14.7K

13.8K

14

38

191

8:35:03 PM 3 minutes ago

*

· · · ·

0

*

C:\Program Files\Qualys\QualysAgent\QualysAgent.exe

OBJECT

WmiPrvSE.exe C:\Windows\System32\wbem\WmiPrvSE.exe

QualysAgent.exe

125.227.22.242 (125-227-22-242.HINET-IP.hi...

211.247.115.130:57533

TCP CONNECTION - ESTABLISHED by svchost.exe

UDP CONNECTION - LISTENING by svchost.exe

64.39.104.103 (qagpublic.qg2.apps.qualys.co...

TCP CONNECTION - ESTABLISHED by QualysAgent.exe

TCP CONNECTION - ESTABLISHED by svchost.exe

WindowsAzureTelemetryService.exe

C:\WindowsAzure\GuestAgent_2.7.41491.949_2019-1...

13.82.189.202:63733

TCP CONNECTION - ESTABLISHED by svchost.exe fe80::281b:10bb:53e0:fff2%7:546

=

EC2AMAZ-Q1M5FIB 172.31.0.13.13.233.83.82

ASSET

WIN10PMIOC4

WIN10PMIOC4

WIN10PMIOC4

13.64.103.58.10.1.1.10

13.64.103.58.10.1.1.10

13.64.103.58.10.1.1.10

EC2AMAZ-Q1M5FIB

172.31.0.13,13.233.83.82

EC2AMAZ-Q1M5FIB

172.31.0.13.13.233.83.82

WIN10PMIOC4

WIN10PMIOC4

13.64.103.58,10.1.1.10

0

0

0

0

0

✓ 1 more

121

3 minutes ago 8:34:41 PM


185.209.0.22:36585 TCP CONNECTION - ESTABLISHED by svchost.exe


13.64.103.58.10.1.1.10


13.64.103.58,10.1.1.10 WIN10PMIOC4

0























Scale Human Response with Automation

Qualys finds active attacks on endpoint using Indication of Compromise

Go beyond endpoint detection with Security Analytics – correlate user, network, application, cloud, container


Use attack path discovery as metadata to detect attacks that can reach critical assets

Automate response to protect critical assets using Security Orchestration response playbooks







Attack Path Discovery Prioritize Patching and **Improve Security Defenses**











Vulnerability Remediation Prioritization

CVSSv2 / CVSSv3 base scores

Qualys QID Severity score

Qualys Tagging for Asset Business Criticality

Qualys Threat Protection Real-Time Indicators (based on threat intel and live attacks)

Qualys VMDR Threat Prioritization (Machine Learning model + Contextual Awareness)

Qualys Attack Path Discovery





